

The Woofer Selection Guide (Continued)

Size	Mfg. #	Model #	Imp. Ohms	Power Handling RMS (W)	SPL (dB) 1W/1m	Xmax (mm)	Qts	Sealed Volume (cu. ft.)	Sealed F3 (Hz)	Vented Volume (cu. ft.)	Vented F3 (Hz)	Dv	Lv	PE #	Page #
6"	Hi-Vi	D6G	8	120	85	8.25	0.51	0.25	79	0.74	39	1.50	3.70	297-420	197
6"	Hi-Vi	M6N	8	65	88	3.5	0.45	0.26	89	0.75	46	1.50	2.90	297-441	196
6"	Hi-Vi	M6A	8	45	88	3.5	0.43	0.23	95	0.67	51	1.50	2.90	297-442	196
6"	Hi-Vi	D6.8	8	60	85	5.3	0.45	0.19	82	0.57	42	1.50	5.25	297-444	197
6"	Jantzen	JA6006	6	100	86	6	0.55	0.31	77	0.91	38	1.50	2.50	297-705	204
6"	Jantzen	JA6012	6	100	86	6	0.59	0.42	78	1.10	38	1.50	1.23	297-706	204
6"	Morel	MW-164	8	150	86	4.25	0.55	0.66	70	1.15	35	1.50	1.12	297-030	199
6"	Morel	MW-167	8	150	88	4.25	0.35	0.18	101	0.50	57	1.50	3.70	297-054	202
6"	Morel	H6.1	8	150	91	3.5	0.32	0.26	88	0.76	50	1.50	2.60	297-064	200
6"	Morel	HU621	8	160	90	3.5	0.38	0.24	97	0.64	55	1.50	2.80	297-072	200
6"	Morel	HU631	8	180	88	4.25	0.36	0.12	114	0.27	70	1.50	6.00	297-076	200
6"	Morel	CAW638	8	150	86	4.25	0.46	0.21	80	0.71	41	1.50	4.25	297-084	201
6" x 9"	Tang Band	W69-1042	8	90	87	7	0.35	0.75*	89	1.31	43	2.00	4.7	264-837	193
6" x 9"	Tang Band	W69-1436	4	80	85	5.5	0.25	0.07	129	0.12	86	2.00	34.27	264-864	193
6-1/2"	Aurum Cantus	AC-165	8	60	89	5	0.32	0.30	84	0.75	52	1.50	3.50	296-410	203
6-1/2"	Dayton	DC160S-8	8	50	87	3.15	0.32	0.14	89	0.32	56	1.50	10.00	295-306	180
6-1/2"	Dayton	DC160-8	8	50	88	3.15	0.33	0.18	84	0.42	53	1.50	7.40	295-305	180
6-1/2"	Dayton	DC160S-4	4	50	89	3.15	0.33	0.15	84	0.35	52	1.50	9.75	295-308	180
6-1/2"	Dynavox	LW6004PMR	8	140	87	3	0.59	0.55	65	1.13	32	1.50	1.75	295-605	183
6-1/2"	Goldwood	GW-206/4	4	50	88	3.5	0.61	0.40	84	1.00	41	2.00	2.45	290-300	185
6-1/2"	Goldwood	GW-S650/4	4	50	87	2.5	0.71	1.00	67	1.56	34	2.00	1.50	290-308	183
6-1/2"	Goldwood	GW-206/8	8	50	87.3	3.5	0.75	0.75**	73	1.38	38	2.00	1.19	290-305	185
6-1/2"	Goldwood	GW-S650/8	8	50	86	2.5	0.83	0.80**	60	2.10	32	2.00	0.86	290-309	183
6-1/2"	Goldwood	GW-6028	8	60	85	4.4	0.86	0.69**	62	1.86	34	2.50	1.86	290-350	186
6-1/2"	Goldwood	GW-6024	4	60	87	4.4	0.57	0.31	80	0.88	39	2.00	4.11	290-351	186
6-1/2"	Goldwood	GW-6PC/8	8	110	87	4	0.46	0.47*	112	0.52	49	2.00	6.90	290-306	186
6-1/2"	Goldwood	GW-6PC/4	4	110	85	4	0.87	0.57**	50	1.62	27	2.00	3.10	290-307	186
6-1/2"	Pioneer	C16LU20-51F	8	60	93	1.7	0.22	0.11*	225	0.20	150	1.50	4.50	290-023	188
6-1/2"	Pioneer	C16EU20-52D	6	60	93	0.9	0.23	0.16*	200	0.29	133	1.50	3.12	290-027	189
6-1/2"	Tang Band	W6-1139SC	4	60	83	11.5	0.37	0.13	80	0.37	36	2.00	21.00	264-832	193
6-1/2"	Tang Band	W6-789S	8	15	92	4.1	0.37	0.34	103	0.98	59	2.00	2.39	264-852	192
6-1/2" DVC	Goldwood	GW-406D	8	60	91	2	0.63	0.51**	58	3.50	31	4.00	2.40	290-352	185
7"	Aurum Cantus	AC-180F1	8	80	90	6	0.29	0.78	93	1.47	59	2.00	5.00	296-412	203
7"	Dayton	RS180S-8	8	60	88	6	0.38	0.23	85	0.62	48	2.00	8.67	295-364	175
7"	Dayton	RS180-4	4	60	88	6	0.40	0.24	85	0.66	47	2.00	7.71	295-374	175
7"	Dayton	DA175-8	8	50	85	4.25	0.42	0.25	75	0.75	40	2.00	10.00	295-335	181
7"	Usher	8836A	8	70	88	5	0.26	0.48*	85	0.83	44	2.00	9.38	296-606	205
7"	Usher	8945A	8	80	87	6	0.31	0.44*	96	0.83	60	2.00	8.75	296-600	205
7"	Usher	8945P	8	70	86	6	0.33	0.61*	84	1.10	45	2.00	5.75	296-602	205
7"	Usher	8948A	8	70	87	6	0.38	0.51*	103	0.81	48	2.00	5.19	296-603	205
7"	Usher	8836AC2	8	70	87	5	0.33	0.26	80	0.71	49	2.00	8.75	296-608	204
7"	Usher	8848P	8	70	87	6	0.34	0.28	82	0.78	49	2.00	7.13	296-604	205
7" DVC	Aurum Cantus	AC-180F1S	4	80	87	6	0.43	0.66	71	2.10	38	2.00	2.14	296-414	203
8"	Aurum Cantus	AC-200MKII	8	200	90	8	0.18	0.25*	126	0.40	74	2.00	9.50	296-420	202
8"	Dayton	RS225S-8	8	80	88	7	0.37	0.63	63	1.60	36	2.00	5.00	295-366	175
8"	Dayton	RS225-4	4	80	89	6	0.49	0.55	74	1.70	37	2.50	5.25	295-376	175
8"	Dayton	DC200-8	8	60	88	4.5	0.38	0.50	64	1.36	37	2.00	5.90	295-310	180
8"	Dayton	ST210-8	8	180	91	6.4	0.40	0.39	86	1.10	54	2.50	4.75	295-100	181
8"	Dayton	QT210-4	4	150	86	9.5	0.40	0.26	77	0.70	46	2.00	9.84	295-545	179
8"	Dayton	RSS210HF-4	4	280	86	9	0.40	0.36	57	1.00	32	2.00	12.13	295-456	176
8"	Dynavox	LW8004PMR	8	150	88	3.4	0.65	1.33	59	2.68	29	2.50	2.00	295-610	183
8"	Goldwood	GW-8PC-30-4	4	120	88	3.5	0.45	1.80	63	4.20	31	3.00	1.10	290-312	186
8"	Goldwood	GW-8PC-30-8	8	120	88	3.5	0.56	0.59	58	4.50	32	3.00	3.78	290-314	186
8"	Goldwood	GW-208/4	4	50	91	3.5	0.70	1.57	63	2.43	33	3.00	2.45	290-310	185
8"	Goldwood	GW-208/8	8	50	88	3.5	0.86	1.26**	58	3.50	31	3.00	0.85	290-315	185
8"	Goldwood	GW-8028	8	65	85	4.6	0.94	1.8**	41	7.30	23	4.00	2.25	290-355	186
8"	Goldwood	GW-8024	4	65	86	4.6	0.73	2.03**	52	3.50	27	2.50	1.30	290-356	186
8"	Hi-Vi	F8	8	80	88	5	0.39	0.43	72	1.20	41	2.00	5.30	297-445	197
8"	Hi-Vi	D8G	8	150	85	8.25	0.43	0.40	65	1.15	35	2.00	7.50	297-425	197
8"	Hi-Vi	M8A	8	80	87	5.8	0.43	0.60	60	1.75	33	2.00	5.00	297-447	196
8"	Hi-Vi	M8N	8	80	86	5.8	0.45	0.67	57	2.16	29	2.00	4.68	297-446	197
8"	Hi-Vi	D8.8	8	150	87	8.3	0.38	0.43	69	1.13	39	2.00	7.12	297-449	197
8"	Hi-Vi	Trinity6	8	40	90	2.7	0.38	0.17*	143	0.22	70	1.50	6.10	297-462	195
8"	Morel	MW-266	8	150	89	4.25	0.56	2.00	44	5.50	22	2.00	1.00	297-040	199
8"	Morel	MW-267	8	180	89	4.25	0.33	0.68	61	2.10	36	2.00	3.90	297-056	202
8"	Morel	H8.1	8	180	90	4.25	0.29	0.31	95	0.68	62	2.00	6.41	297-066	200
8"	Pioneer	B20FU20-51D	6	60	91	2.9	0.20	0.55*	124	1.00	83	2.00	3.75	290-055	189
8"	Pioneer	B20GR30-51F-Q	8	80	91	2.8	0.26	0.63*	102	1.10	68	2.00	5.00	290-042	189
8"	Pioneer	B20FU20-54F	8	60	93	1	0.26	0.23	131	0.48	84	2.00	4.60	290-063	188
8"	Tang Band	W8-1363SA	4	120	84	12	0.29	0.12	88	0.40	45	1.00	9.19	264-833	193
8"	Tang Band	W8-740C	4	150	84	12	0.30	0.26*	83	0.34	51	2.00	28.50	264-854	193
8"	Usher	8955A	8	80	87	6	0.32	0.71	66	1.77	41	2.00	4.00	296-618	204
8"	Usher	8137A	8	80	88	5	0.39	0.52	72	1.57	40	2.00	3.50	296-616	204
8" DVC	Dayton	SD215-8-8	4	80	86	6	0.41	0.38	58	1.50	31	2.00	9.07	295-480	179
8" DVC	Goldwood	GW-408D	8	100	91	3.5	0.64	1.18	59	2.75	29	2.00	1.00	290-357	185