



Section A-A




Section B-B



Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.

09/01 - Rev.: 00 - Page: 1/5


F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1G1\PAS1G1ANGLES

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com


USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com

Low frequency cabinet, trapezoidal shape, bass-reflex type for use in PA systems with two 18" low frequency driver.

Components:
18SW1P subwoofer or
WPU1805 or WPU1807 woofer (2 pieces)



Projection Angle:



Specifications subject to change without notice.

09/01 - Rev.: 00 - Page: 2/5

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1G1\PAS1G1INGLES

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com

NOTES:

Net internal volume of the 18" low frequency driver chamber: 110 liters (each).


Cut off Frequency:

18" Speaker: Low: 40 Hz.

High: should match the low cut off frequency of the next channel enclosure.


Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

| Item | Qty | Description | Material | Notes |
|------|-----|--------------------|---------------|-------|
| 1 | 2 | Top/Botton | Plywood 20 mm | |
| 2 | 2 | Lateral | Plywood 20 mm | |
| 3 | 1 | Partition | Plywood 20 mm | |
| 4 | 2 | Front Panel | Plywood 20 mm | |
| 5 | 2 | Duct Wall | Plywood 20 mm | |
| 6 | 1 | Back | Plywood 20 mm | |
| 7 | 2 | Duct Reinforcement | Plywood 20 mm | |
| 8 | 2 | Frame 1 | Plywood 20 mm | |
| 9 | 4 | Frame 2 | Plywood 20 mm | |



Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.




09/01 - Rev.: 00 - Page: 4/5

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1G1\PAS1G1ANGLES

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com


USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
URL: www.selenium.com.br



Dimensions in cm.

Projection Angle:





Specifications subject to change without notice.

09/01 - Rev.: 00 - Page: 5/5


F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1G1\PAS1G1ANGLES

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com


USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com




Section A-A



Section B-B




Section C-C



Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.

12/01 - Rev.: 02 - Page: 1/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1INGLÊS


EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com


Trapezoidal cabinet, three way, horn type, for use in PA systems, with one 15" woofer, 12" mid-bass and titanium compression driver with horn.

Components:

- WPU1505 or WPU1507 woofer (1 piece)
- WPU1206 or 12MB1P mid-bass (1 piece)
- D4400Ti or D3300Ti driver (1 piece)
- HL47-50R horn (1 piece)



Projection Angle:



Specifications subject to change without notice.

12/01 - Rev.: 02 - Page: 2/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1INGLÊS

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com

BRAZIL Address:
ELETRÔNICA SELENIUM S.A.
BR 386 Km 435 / 92.480-000
Nova Santa Rita - RS - Brazil
Fax: +(55) 51 479-1120
URL: www.selenium.com.br

NOTES:

Cutt off frequency:

15" Speaker: Low: 120 Hz.
High: 300 Hz.

12" Speaker: Low: 300 Hz.
High: 1.200 Hz.

Driver: Low: 1.200 Hz.

Recommended Crossover: Active, Linkwitz-Riley, 24 dB/oct.

| Item | Qty | Description | Material | Notes |
|------|-----|----------------|---------------|-------|
| 1 | 1 | Botton | Plywood 20 mm | |
| 2 | 2 | Lateral | Plywood 20 mm | |
| 3 | 1 | Panel 1 | Plywood 20 mm | |
| 4 | 1 | Rear Panel 1 | Plywood 20 mm | |
| 5 | 4 | Frame 2 | Plywood 20 mm | |
| 6 | 2 | Ramp 1 | Plywood 20 mm | |
| 7 | 1 | Panel 2 | Plywood 20 mm | |
| 8 | 1 | Panel 3 | Plywood 10 mm | |
| 9 | 1 | Panel 4 | Plywood 10 mm | |
| 10 | 2 | Ramp 2 | Plywood 20 mm | |
| 11 | 2 | Partition 1 | Plywood 20 mm | |
| 12 | 1 | Panel 5 | Plywood 20 mm | |
| 13 | 1 | Rear Panel 2 | Plywood 20 mm | |
| 14 | 2 | Frame 3 | Plywood 20 mm | |
| 15 | 5 | Frame 4 | Plywood 20 mm | |
| 16 | 1 | Panel 6 | Plywood 10 mm | |
| 17 | 1 | Panel 7 | Plywood 10 mm | |
| 18 | 2 | Ramp 3 | Plywood 20 mm | |
| 19 | 2 | Ramp 4 | Plywood 20 mm | |
| 20 | 1 | Frame 1 | Plywood 20 mm | |
| 21 | 2 | Frame 5 | Plywood 20 mm | |
| 22 | 1 | Rear Panel 3 | Plywood 20 mm | |
| 23 | 1 | Top | Plywood 20 mm | |
| 24 | 1 | Inferior Panel | Plywood 20 mm | |
| 25 | 1 | Frame 6 | Plywood 20 mm | |
| 26 | 2 | Frame 7 | Plywood 20 mm | |


Specifications subject to
change without notice.

12/01 - Rev.: 02 - Page: 3/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1INGLÊS


EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com



Dimensions in cm.

Projection Angle:




Specifications subject to change without notice.

12/01 - Rev.: 02 - Page: 4/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1INGLÊS


EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com



Dimensions in cm.

Projection Angle:






Specifications subject to change without notice.

12/01 - Rev.: 02 - Page: 5/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1ANGLES


EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com



Dimensions in cm.

Projection Angle:



Specifications subject to change without notice.

12/01 - Rev.: 02 - Page: 6/6

F:\CAIXAS ACÚSTICAS\PAS\PAS1\PAS1MA1\PAS1MA1INGLÊS

EUROPE Address:
SELENIUM EUROPE
St. Elisabethenstrasse 6
65396 Walluf / Ober-Walluf - Germany
Phone: +(49) 6123 601570
Fax: +(49) 6123 601587
E-mail: sales@selenium-eu.com
URL: www.seleniumloudspeakers.com

USA Address:
SELENIUM LOUDSPEAKER USA
1701 South Park Court, Bldg 102
Chesapeake, VA 23320 - USA
Phone: (757) 424-7516 / (800) 562-0510
Fax: (757) 424-5426
E-mail: export@selenium-usa.com
URL: www.seleniumloudspeakers.com